STANDARD 38

MODEL



- IMPACT WINDOWS
- INSULATION
- NETWORK / COMMUNICATION
- FLOORING
- HVAC
- LED



* UNITS CAN TANDEM TOGETHER

FORTS
FOLD-OUT SHELTERS

EXPAND THE POSSIBILITIES

RAPID DEPLOYMENT, MOBILE SOLUTIONS

SPACE	SPECS
EXTERIOR / OPENED	17' 10 1/2" x 19' 7 1/2" x 8' 5 1/2" H
INTERIOR / OPENED	17' 2" x 15' 10 1/2" x x 7' 3 1/2" H
EXTERIOR / CLOSED	3' 9" x 19' 7 1/2" x 8' 5 1/2"h
INTERIOR / CLOSED	1' 2 1/2" x 16' 5 1/2" x 7' 3 1/2"
USABLE SPACE / OPEN	273 SQ. FT
USABLE SPACE / CLOSED	20 SQ. FT
THERMAL EFFICIENCY	THERMALLY BROKEN EXTRUSIONS

The **FORTS 38 Standard Mobile Unit** is a versatile and rapidly deployable structure, designed for a wide range of applications. This unit offers quick assembly, robust construction, and integrated utilities such as HVAC and lighting.

Command Center | Sleeping Quarters | Kitchens | Field Hospital | Mortuary

Spacious and adaptable workspace for various critical needs.










MOBILIZER

TRAILER



Specifically outfitted to transport your entire equipment package to any location at a moment's notice without the need of a specialized vehicle.









FORTS
FOLD-OUT SHELTERS

EXPAND THE POSSIBILITIES

RAPID DEPLOYMENT, MOBILE SOLUTIONS


MOBILIZER W/ STORAGE	SPECS
DIMENSIONS	26' L x 94" W
TRAILER WEIGHT	2700 LBS
WEIGHT WITH FORTS 38	6600 LBS
GVWR	10,000 LBS
TRAILER HITCH BALL & PINTLE HITCH RING	2-5/16"
ELECTRIC BRAKING SYSTEMS	YES
INDEPENDANT TORSEN AXLES	4
(4) 51" W x 42" H x 22"	D-STORAGE CABINETS
(2) 84" W x 33" H x 22	D-STORAGE CABINETS

- Unloads FORTS unit in less than 10 minutes.
- Does not require the use of a forklift.
- Simplistic design, precision built with high quality materials.
- Does not require the use of hydraulic lifting mechanism.
- DOT and NHTSA Certified.
- Lightweight, doesn't require a CDL drivers license.
- Ability to store equipment with built-in storage cabinets.
- Built-in compartment for generator storage



CFORTS 96

MODEL





IMPACT WINDOWS

INSULATION

NETWORK / COMMUNICATION

FLOORING

HVAC

LED

* UNITS CAN TANDEM TOGETHER







FORTS
FOLD-OUT SHELTERS

EXPAND THE POSSIBILITIES

RAPID DEPLOYMENT, MOBILE SOLUTIONS

SPACE	SPECS
EXTERIOR / OPENED	20' 11" x 19' 10 1/2" x 8' 6" H
INTERIOR / OPENED	20' 2" x 15' 4" x 6' 11 /2" H
EXTERIOR / CLOSED	8' x 19' 10 1/2" x 8' 6"H
INTERIOR / CLOSED	4' 11" x 15' 4" x 6' 11 1/2" H
USABLE SPACE / OPEN	311 SQ FT
USABLE SPACE / CLOSED	75 SQ FT
THERMAL EFFICIENCY	THERMALLY BROKEN EXTRUSIONS

The **CFORTS 96** is a larger unit distinguished by its heavy-duty ISO platform and CSC certification, making it highly suitable for demanding environments. It's perfect for applications that require more space and sturdiness, such as field hospitals, command centers, or large-scale disaster response centers.

Command Center | Medical Clinic | Sleeping Quarters | Field Hospital | TSCIF

Spacious and adaptable workspace for various critical needs.



UTILITY

TRAILER









FORTS
FOLD-OUT SHELTERS

EXPAND THE POSSIBILITIES

RAPID DEPLOYMENT, MOBILE SOLUTIONS

SPACE	SPECS
GVWR	26,000 LBS / 11 800 KG
GAWR	24,000 LBS / 10 900 KG
WEIGHT	5,600 LBS / 2540 KG
CAPACITY	20,400 LBS / 9250 KG
WIDTH	8' – 0" / 2.438 M
LENGTH	25' – 11" / 7.9 M
HEIGHT EMPTY	34" / 86 CM ISO CONTAINER BASE MOUNTING SURFACE
HEIGHT LOADED	34" / 86 cm ISO CONTAINER BASE

- Tandem axle chassis trailer, steel, galvanized, unimproved road capable
- ISO 20Ft. container capable air ride suspension, air brakes
- Compatible with all C-130 Hercules, C-17, models as well as a large variety of cargo aircrafts.
- Four (4) trailer support pads and wheel lock chucks, a full spare tire, tire impact gun and nut wrench, two (2) bottle jacks at 20 tons each
- Lifting jack and spare tire, emergency equipment, 2-20 Lb Fire extinguisher



FORTS 463L

MODEL

EXPAND THE POSSIBILITIES

RAPID DEPLOYMENT, MOBILE SOLUTIONS



SPACE	SPECS
EXTERIOR / OPENED	18' 7" x 8' 2" x 7' 6" H
INTERIOR / OPENED	17' 10" x 6' 7" x 6' 5 1/2" H
EXTERIOR / CLOSED	7' x 8' 2" x 7' 6"H
INTERIOR / CLOSED	3'11" x 7' x 6' 5 1/2" H
USABLE SPACE / OPEN	118 SQ.FT
USABLE SPACE / CLOSED	27.5 SQ.FT
THERMAL EFFICIENCY	THERMALLY BROKEN EXTRUSIONS

The **FORTS 463L** fits on a 463L pallet and can be delivered on a C-130 aircraft and offers a highly secure and swiftly deployable environment

Command Center | Medical Unit










INTERMODAL MEANS OF TRANSPORTATION


FORTS
FOLD-OUT SHELTERS

EXPAND THE POSSIBILITIES


RAPID DEPLOYMENT, MOBILE SOLUTIONS

463L PALLET





FLAT RACKS





FLATBED RAIL





FLATBED TRAILER



